SPRING 1948



THE I-XL FURNITURE CO., INC., GOSHEN, INDIANA










# I-XL DELUXE MODERN KITCHENS





"L" shaped kitchen above shows use of 2 18" drawer bases; 1—42" corner base, 1-36" sink front and 1-24" base, along with proper size of wall cabinets.

pen view of base cabinet No. 1M-36 shows tal bread drawer and sliding wire shelf low which is cutting board in carrier.



CB 12 RD 47" Corner Base with 44" country on utilizes otherwise lost corner space, be furnished for right or left hand corners.



CB-35 corner base can be used in either right or left hand corner of installation. 23" ends match other bases.



Generous toe room (4" high by 3" deep) pro-vides for close standing when working on top plane. Toe boards are finished in black enamel.

Hardwood Plywood or Masonite's Tempered Presdwood panels, these beautiful kitchens come to you nicely finished in gleaming white "Baked" enamel. All hardware such as door hinges, door and drawer pulls, sliding metal shelves, etc., are included. It then becomes merely a matter of attaching your wall cabinets firmly to the wall -setting your base cabinets in place-making the proper plumbing connections and your I-XL Kitchen is ready to give you many years of trouble-free service. Note the ample selection of Wall Cabinets, Base Cabinets and Packaged Unit Wall and Sink Cabinets from which to choose your particular kitchen.

These cabinets are all manufactured in a large, modern, well equipped woodworking plant. The actual production of items fabricated from wood was started about one hundred years ago. For more than fifty years The I-XL Furniture Co., Inc. has been making various patterns of kitchen furniture and at this time is in a very fine position to supply the dealer trade with a modern, practical and easy to handle line of Sectional Kitchen Units.

CONSTRUCTION All units are manufactured of highgrade kiln-dried hardwoods and hardwood or Masonite's Tempered Presdwood panels, framed-in construction, large corner blocks and heavy glue blocks.

Heavy doors are of lip-type construction and are nicely rounded on outside edges.

FINISH All cases are smoothly sanded and finished only in high grade "BAKED" WHITE ENAMEL.

We reserve the right to make changes occasioned by shortages of materials or those which we feel enhance the salability of the product.



### MADE OF GENUINE HARDWOODS

The kitchen of today is no longer a room in the house where a woman spends long hours of drudgery—certainly not if that kitchen is equipped or modernized the I-XL way. In recent years the kitchen has become a guest room of the modern home. It is here that guests gather many times and find entertainment. And it is this room that should be turned into an attractive and cheerful place.


I-XL Kitchen Units can be used just as successfully in the remodeling of old homes as in new construction. Merely make a rough floor plan of your present kitchen, allotting necessary space for door openings and windows, along with the refrigerator and stove; then select the proper patterns of Sectional Units to fill in the remaining space.

While all base and sink cabinets are shown with their respective width individual tops, these same patterns can be furnished with large one-piece custom built sink and cabinet tops which cover an entire base installation. Straight, "L" or "U" shaped tops are available. These high grade linoleum covered sink and cabinet tops can be furnished in the following inlaid patterns: Plain Black, Black and Ivory Marbleized, Blue Marbelle, Marbleized two-tone Red and "Sparta" which is Marbleized Ivory with some Red and Black.

While all five of the above mentioned patterns of linoleum are considered as "standard", we will ship the Black and Ivory Marbleized covering if no other color is specified.

For construction detail and sink bowls available—see back page of folder.

For pricing and further details on Custom Built Sink and Cabinet Tops, see price list.




2—No. 4D 18 base cabinets, 1—SB 60 sink base, 2—No. 3018 wall cabinets, 2. No. WS 3009 open shelves and 1—No. 8418 utility cabinet make 9′ 6″ width kitchen.




The "L" shaped effect on the above kitchen is gained by setting stove at right angle to the CS 42 LD corner base, thus utilizing valuable corner storage space. Use base filler between base and stove.

DB48 Divider Base and DS13 Shelf Group beautifully finish off base group installition. Practical for forming theoretical partition.



Sink front used with No. SE 24 sink end, where





No. 3023 corner wall cabinet (23' each wall) extends wall cabinet installation around corners in "L" and "U" shaped kitchens.



#### LINOLEUM COVERED SINK AND CABINET TOPS

NOTICE: Custom built one-piece linoleum covered sink and cabinet tops in lengths up to and beyond 144" can be furnished to cover large installations. One-piece "L" and "U" shaped tops also are now available. For further details see price list.

CHROME PLATED FAUCETS and CRUMB CUP STRAIN-ERS of stainless steel are available for all sizes of bowls. Be sure to specify on order as these items, with the exception of 21" x 32" x 8" (porcelain on cast iron), are priced separately. For further details see price list.

> DELUXE QUALITY LINOLEUM COVERED TOPS Are available in the following inlaid patterns: Plain Black; Black and Ivory Marbleized; Blue Marbelle; Marbleized Two-Tone Red; and "Sparta" which is Marbleized Ivory with Red and Black.


Both Sink and Cabinet Tops are fabricated of high-grade 72" and 84" width, along winlaid linoleum over plywood base; 1½" face moulding stainless steel on both types of tops assures a nice fit when several tops are used in the same installation.

Above view shows  $18'' \times 32'' \times 8''$  porcelain on steel double bowl installation. This installation recommended for use in 72'' and 84'' width, along with SB48 Packaged Unit Sink Bases.

Sink Tops are ordinarily supplied with 4" high back splashers which are nicely moulded off with one inch width stainless steel. Sink bowls are installed in a mastic which sets, but never hardens, thus assuring a water-proof joining of bowl and top. Stainless steel moulding is used around edges of bowl cut-out in top. Pressure moulding used at back of top where splasher joins.

Cabinet Tops are fabricated of same materials and to the same high construction standards. Note detailed drawings of these tops.

We reserve the right to make changes occasioned by shortages of materials, or those which we feel enhance the salability of the product.



#### WIDE SELECTION OF BOWLS AVAILABLE IN I-XL SINK TOPS



Pictured above (left to right) are  $21'' \times 24'' \times 8''$  ledge back type porcelain on steel sink bowl,  $21'' \times 32'' \times 8''$  ledge back type porcelain on steel double bowl sink and  $21'' \times 32'' \times 8''$  ledge back type porcelain on cast iron double bowl sink.



Pictured above (left to right) are  $18'' \times 24'' \times 8''$  Porcelain on steel single bowl sink;  $18'' \times 32'' \times 8''$  Porcelain on steel double bowl.



Above view shows 21" x 32" x 8" ledge back type porcelain on steel double bowl mounted in linoleum covered sink top. Note the faucet and spray mounted on the back ledge and the crumb strainers mounted in the openings of the sink bowls.


#### I-XL HARD MAPLE (Lindermanized Joint) COUNTER TOPS



Carefully note construction detail of these very high-grade utility tops shown below. These tops are machine made and all joints are well glued and the top is driven together with great force and on a tapering joint.

These are supplied in the natural wood grain finish. A high grade penetrating sealer coating is used.

These tops are  $1\frac{1}{2}$ " thick and have 4" high back splashers which are one inch thick. They are nicely seal coat finished and provide wonderful working planes along side of stoves or refrigerators. One of these high grade tops should be included in each kitchen installation for use as a mixing or cutting board.



THE I-XL FURNITURE COMPANY, INC., GOSHEN, INDIANA

Form No. C2-47

# ECONOMICAL PACKAGE

Packaged Uni Methods of c regular unit li

Both Packagin conjunction in conjunction from the regulation of the property o

For construction open views of Wall Cabinets

Packaged Kitchens, in addition to being the perfect answer for the smaller home kitchen, can be used as a nucleus around which to form elaborate "L" or "U" shaped installations.

The Packaged Sink Bases start with the 42" width which is followed by 48", 54", 60" 72" and 84" widths. These cases are fabricated of the same materials and to the same high quality construction standards as the regular Sectional Unit patterns. While these cases may be purchased without sink tops, we recommend use of our DeLuxe quality linoleum covered sink top. In the 42" top should be used 16" x 18" x 8" porcelain on steel bowl. We recommend use of 18" x 24" x 8" porcelain on steel bowl in 48", 54" and 60" widths. The 72" and 84" widths, along with SB48, will accommodate the 18" x 32" x 8" or 21" x 32" x 8" double bowl porcelain on steel sinks.



# Sink Bases

Offer the utmost in convenience and storage capacity in relation to the small amount of floor space required. Sliding metal shelves provided in all partierns except SB48.

With the exception of 42" and 48" widths, all cases have a metal bread box with hinged lid. The 42" and 48" with hinged lid. The 42" with the sink compartment on either with the sink compartment on either sturdy construction shown by the study construction shown by the study construction shown by the







NO. SB-60



A No. 1842—18" height wall cabinet used with No. 5B 42 RD sink base.

B 2—No. 1824—18" height wall cabinets used with No. 5B 48 LD sink base.



# ECONOMICAL PACKAGE

Packaged Kitchens, in addition to being the perfect answer for the smaller home kitchen, can be used as a nucleus around which to form elaborate "L" or "U" shaped installations.

The Packaged Sink Bases start with the 42" width which is followed by 48", 54", 60" 72" and 84" widths. These cases are fabricated of the same materials and to the same high quality construction standards as the regular Sectional Unit patterns. While these cases may be purchased without sink tops, we recommend use of our De-Luxe quality linoleum covered sink top. In the 42" top should be used 16" x 18" x 8" porcelain on steel bowl. We recommend use of 18" x 24" x 8" porcelain on steel bowl in 48", 54" and 60" widths. The 72" and 84" widths, along with SB48, will accommodate the 18" x 32" x 8" or 21" x 32" x 8" double bowl porcelain on steel sinks.

Packaged Unit Methods of co regular unit lin

Both Packag in conjunction from the regul Select the sink add the proper lable wall space cannot use a p width of wall c

For construc open views of Wall Cabinets.

#### **Packaged Unit** Sink Bases

Offer the utmost in convenience and storage capacity in relation to the small amount of floor space required. Sliding metal shelves provided in all patterns except SB48. With the exception of 42" and 48" widths, all cases have a metal bread box with hinged lid. The 42" and 48" widths can be furnished with the sink compartment on either the right or left side. Note the very sturdy construction shown by the open view.



A No. 1842—18" height wall cabinet used with No. SB 42 RD sink base.

2-No. 1824-18" height wall cabinets used with No. SB 48 LD sink base.



NO. SB-42LD

NO. SB-48LD

NO. SB-54

NO. SB-60







NO. 5B-72

### KITCHENS

Wall Cabinets come in 54", 60" and 72" widths. struction and materials are the same as used in

Unit Sink Bases and Wall Cabinets may be used ith Sectional Unit Bases and Wall Cabinets selected Unit lines as heights and depths are identical. ase which best answers your requirements and then widths of base cabinets to completely fill your avai-

If you place your sink base below a window and ckaged unit wall cabinet, merely select the proper pinets from the Sectional Unit Line.

on and interior arrangement details, please note the oth Packaged Unit Sink Bases and Packaged Unit






#### Packaged Unit Wall Cabinets

Are 12½" deep and 30" in height.

Solid hardwood ends and shelves
give great strength to these cases.

Extra wide back, top and bottom
rails make for ease in attaching
these cases firmly to the wall.

Wherever additional wall space is
available, select the proper widths
of wall cabinets from our regular
unit line as they match perfectly
in style and dimensions with the
Packaged Unit Wall Cabinets.




- C 2—No. 3015—30" height wall cabinets used with No. SB 54 sink base
- D 2-No. 3018-30" height wall cabinets used with No. SB 60 sink base.
- E 2—No. 3021—30" height wall cabinets used with No. SB 72 sink base.
- F 2—No. 3024—30" height wall cabinets used with No. SB 84 sink base.














### LINOLEUM COVERED SINK AND CABINET TOPS

to cover large installations. One-piece "L" and "U" shaped tops also are now available. For further details see, price list NOTICE: Custom built one-piece linoleum covered sink and cabinet tops in lengths up to and beyond 144" can be furnished



priced separately. For further details see price list. ception of 21" x 32" x 8" (porcelain on cast iron), are Be sure to specify on order as these items, with the ex-ERS of stainless steel are available for all sizes of bowls. CHROME PLATED FAUCETS and CRUMB CUP STRAIN-



Digitized by



**JANOITANA**THE STAN A TECHNOLOGY, PRESERVATION FOR **ASSOCIATION** 


www.apti.org



https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA



MIDE




steel sink bowl, 21" x 3 sink and 21" x 32" x 8' Pictured above (left to



single bowl sink; 18" x 32" Pictured above (left to right)

1 X - I



These are supplied in the natural wood grain finish. A high grade penetrating sealer coating is used.

They are nicely seal coat finished and provide wonderful working planes along side of stoves or refrigerators. One of these high grade tops should be included in each kitchen installation for use as a mixing or cutting board. These tops are 11/2" thick and have 4" high back splashers which are one inch thick.

THE I-XL FURNITURE COMPANY, INC., GOSHEN, INDIANA

SdC

SdO

ity of the product. hese tops.

used around edges teel. Sink bowls are

> ui asi ouble

of the sink bowls.

ray mounted on the Iwod elduob leets no

### LINOLEUM COVERED SINK AND CABINET TOPS

NOTICE: Custom built one-piece linoleum covered sink and cabinet tops in lengths up to and beyond 144" can be furnished to cover large installations. 'One-piece "L" and "U" shaped tops also are now, available. For further details see price list.

CHROME PLATED FAUCETS and CRUMB CUP STRAIN-ERS of stainless steel are available for all sizes of bowls. Be sure to specify on order as these items, with the exception of 21" x 32" x 8" (porcelain on cast iron), are priced separately. For further details see price list.

th





ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

LIBRARY

use in uses.

teel. Sink bowls are used around edges

nese tons

ity of the product.

OPS

in steel double bowl iray mounted on the s of the sink bowls.

PS

From the collection of:

Mike Jackson, FAIA

Pictured above (left to right) single bowl sink; 18" x 32"

I-XL HA

WIDE SI

Pictured above (left to steel sink bowl, 21" x 3

sink and 21" x 32" x 8

These are supplied in the natural wood grain finish. A high grade penetrating sealer coating is used.

These tops are  $1\frac{1}{2}$ " thick and have 4" high back splashers which are one inch thick. They are nicely seal coat finished and provide wonderful working planes along side of stoves or refrigerators. One of these high grade tops should be included in each kitchen installation for use as a mixing or cutting board.



THE I-XL FURNITURE COMPANY, INC., GOSHEN, INDIANA